

TRIETHOXYSILANE

# HTEOS

 **Product description**

**Name:** TRIETHOXYSILANE

**CAS-Number:** 998-30-1

**Application:** Si precursor for SiO<sub>2</sub> deposition

**Element:** Si

# TRIETHOXYSILANE

# HTEOS

## Physical Properties

Vapor pressure equat.:	27 mbar at 20 °C
Density:	0.89 g/cm <sup>3</sup>
Molweight:	164.27 g/mol
Melting point:	-170 °C / -274 °F
Boiling point:	134-135 °C / 273.2-275 °F
Sublimation point:	

## Chemical Properties

Stability:	Stable under recommended storage conditions.
State of matter:	Liquid

## Safety & Transport

Toxicity:	toxic by Inhalation
Thermal decomposition:	
ADR/RID-class:	6.1(3.8)
UN-no:	3489, PG I
IMDG-class:	6.1(3.8)
UN-no:	3489, PG I
ICAO/IATA-class:	6.1(3.8)
UN-no:	3489, PG I - AIRFREIGHT FORBIDDEN

For further details please refer to Safety Data Sheet (SDS)

## Packaging & Standard Filling Volumes

HTEOS.100.DOCK/10.150	100g / 150ccm cyl.
HTEOS.300.DOCK/10.400	300g / 400ccm cyl.
HTEOS.450.DOCK/10.600	450g / 600ccm cyl.
HTEOS.800.DOCK/10.1000	800g / 1000ccm cyl.

## Quality Standards

PG Pure Grade

## Vapor Pressure Curve

## Application

Si precursor for SiO<sub>2</sub> deposition



Dockweiler Chemicals GmbH  
Emil-von-Behring-Strasse 76  
Goerzhaeuser Hof M217  
35041 Marburg, Germany

T +49 (0)6421 39-6380  
F +49 (0)6421 39-6381  
info@dockchemicals.com

[dockchemicals.com](https://www.dockchemicals.com)